


Maßstab
1:50

2. Variant of the Backstage stageplan "Imagine"

Tel: +491725927311

On Backstage with rising seat rows

The Size is minimum.! larger stage better.



technical conditions:

The curtain is fastened to the cover

*Room height minimum 3m

*80-300 Spectator

*rising seat rows!

-with only more easily upward gradient stage should stand on 0,30 -0,50m

*Area must be dark

*we need 4 adapters on schuko plug, or by 110V 4 transformers on (220V)

*Seat rows in the wedge form to the stage, without center aisle!

*The structure of the stage lasts to ca. 6h, if headlights are before-hung after plan!

*at least 2 light technicians on the day of the structure!!!

*Lightcommander with 24 or 25 channels, or more

* Tel: +491725927311

*Note! it is produced smoke!

Duration of the performance 60 min.


3. Variant stageplan "Fragments of the Imagination" "Alles Vorstellung"

Maßstab
1:50

Tel: +491725927311

only after contact with me !!!

larger stage better.



technical conditions:

The curtain is fastened to the cover

*Room height minimum 3m

*80-300 Spectator

*rising seat rows!

-with only more easily upward gradient stage should stand on 0,30 -0,50m

*Area must be dark

*we need 4 adapters on schuko plug, or by 110V 4 transformers on (220V)

*Seat rows in the wedge form to the stage, without center aisle!

*The structure of the stage lasts to ca. 6h, if headlights are before-hung after plan!

*at least 2 light technicians on the day of the structure!!!

*Lightcommander with 24 or 25 channels,or more

* Tel: +491725927311


*Note! it is produced smoke!

Duration of the performance 60 min.

Maßstab
1:50

1. Variant stageplan "Fragments of the Imagination" "Alles Vorstellung"

ideal spectator situation with rising seat rows



Minimum! larger stage better.

technical conditions:

- The curtain is fastened to the cover
- *Room height minimum 3m
- *80-300 Spectator
- *rising seat rows!
 - with only more easily upward gradient stage should stand on 0,30 -0,50m
- *Area must be dark
- *we need 4 adapters on schuko plug, or by 110V 4 transformers on (220V)
- *Seat rows in the wedge form to the stage, without center aisle
- *The structure of the stage lasts to ca. 6h, if headlights are before-hung after plan!
- *at least 2 light technicians on the day of the structure!!!
- *Lightcommander with 24 or 25 channels, or more
- * Tel: +491725927311

*Note! it is produced smoke!

Duration of the performance 60 min.